Journal of Cell Science

VOLUME 87 1987

Editors

A. V. GRIMSTONE HENRY HARRIS R. T. JOHNSON

Editorial Board

W. B. AMOS P. BARLOW M. D. BENNETT

V. DEFENDI T. M. DEXTER G. A. DUNN

D. R. GARROD G. GERISCH I. R. GIBBONS

D. M. GLOVER S. GORDON B. E. S. GUNNING

R. C. HUGHES G. L. E. KOCH R. A. LASKEY

H. C. MACGREGOR C. J. MARSHALL R. B. NICKLAS

J. D. PITTS K. ROBERTS N. J. SEVERS

A. M. TARTAKOFF J. TAYLOR-PAPADIMITRIOU J. O. THOMAS

Published by

THE COMPANY OF BIOLOGISTS LIMITED CAMBRIDGE

Typeset, Printed and Published by
The Company of Biologists Limited,
Department of Zoology, University of Cambridge, Downing Street,
Cambridge CB2 3EJ

© The Company of Biologists Limited 1987

Contents

Volume 87 1987

Commentary
Amos, L. A. and Amos, W. B.
Cytoplasmic transport in axons 1

Peterson, J. B., Heuser, J. E. and Nelson, D. L.
Dissociation and reassociation of trichocyst proteins: biochemical and ultrastructural studies 3

Ockleford, C. D., Nevard, C. H. F., Indans, I. and Jones, C. J. P.
Structure and function of the nematosome 27

Tillinghast, H. S. and Newell, P. C.
Chemotaxis towards pteridines during development of *Dictyostelium* 45

Mullinger, A. M. and Johnson, R. T.
Disassembly of the mammalian metaphase chromosome into its subunits: studies with ultraviolet light and repair synthesis inhibitors 55

Suprenant, K. A. and Marsh, J. C.
Temperature and pH govern the self-assembly of microtubules from unfertilized sea-urchin egg extracts 71

Portman, R. W., LeCluyse, E. L. and Dentler, W. L.
Development of microtubule capping structures in ciliated epithelial cells 85

Millar, S. E., Freeman, M. and Glover, D. M.
The distribution of a 'mitosis-specific' antigen during *Drosophila* development 95

Amos, L. A.
Kinesin from pig brain studied by electron microscopy 105

Smith, M. J. and Koch, G. L. E.
Differential expression of murine macrophage surface glycoprotein antigens in intracellular membranes 113

Toda, K., Francis, D. and Gerisch, G.
Mutants of *Polysphondylium pallidum* showing delayed modification of glycoproteins are altered in a regulatory signal for development 121

Ager, A.
Isolation and culture of high endothelial cells from rat lymph nodes 133

Křepela, E., Bártek, J., Skalková, D., Vičar, J., Rasnick, D., Taylor-Papadimitriou, J. and Hallowes, R. C.
Cytochemical and biochemical evidence of cathepsin B in malignant, transformed and normal breast epithelial cells 145

Azzarone, B. and Macieira-Coelho, A.
Further characterization of the defects of skin fibroblasts from cancer patients 155

Pizzey, J. A., Witkowski, J. A. and Jones, G. E.
Spreading behaviour of cultured fibroblasts from carriers of Duchenne muscular dystrophy 163

Dow, J. A. T., Lackie, J. M. and Crocket, K. V.
A simple microcomputer-based system for real-time analysis of cell behaviour 171

Duncan, C. J. and Jackson, M. J.
Different mechanisms mediate structural changes and intracellular enzyme efflux following damage to skeletal muscle 183

Nicolas, M.-T., Sweeney, B. M. and Hastings, J. W.
The ultrastructural localization of luciferase in three bioluminescent dinoflagellates, two species of *Pyrocystis*, and *Noctiluca*, using anti-luciferase and immunogold labelling 189

Behnel, H. J. and Weckbart, G.
Induced stabilization of the transmembrane potential of *Drosophila* cells by heat shock and periodic applications of chloramphenicol 197

Commentary
Robinson, M. S.
Coated vesicles and protein sorting 203

Charbonneau, M. and Webb, D. J.
Weak bases partially activate *Xenopus* eggs and permit changes in membrane conductance whilst inhibiting cortical granule exocytosis 205

Europe-Finner, G. N. and Newell, P. C.
Cyclic AMP stimulates accumulation of inositol trisphosphate in *Dictyostelium* 221

Bell, R. and Achenbach, F.
Reactivation of cytoplasmic actomyosin in *Physarum* plasmodia extracted with glycerol and dimethylsulphoxide 231

Noble, P. B.
Extracellular matrix and cell migration: locomotory characteristics of MOS-11 cells within a three-dimensional hydrated collagen lattice 241

Oohira, A., Matsui, F., Oki, T. and Nogami, H.
Deficiency of density-dependent regulation of cell growth in the culture of skin fibroblasts from patients with mucolipidosis III 249

Hong, H. L. and Brunette, D. M.
Effect of cell shape on proteinase secretion by epithelial cells 259

Turner, B. M. and Franchi, L.
Identification of protein antigens associated with the nuclear matrix and with clusters of interchromatin granules in both interphase and mitotic cells 269

Bell, P. R. and Pennell, R. I.
The origin and composition of nucleolus-like inclusions in the cytoplasm of fern egg cells 283

Schwarzacher-Robinson, T., Finch, R. A., Smith, J. B. and Bennett, M. D.
Genotypic control of centromere positions of parental genomes in *Hordeum* × *Secale* hybrid metaphases 291

Hecht, R. M., Berg-Zabelshansky, M., Rao, P. N. and Davis, F. M.
Conditional absence of mitosis-specific antigens in a temperature-sensitive embryonic-arrest mutant of *Caenorhabditis elegans* 305

Fujisawa, T.
Inhibition of stenotele differentiation by head tissue in *Hydra* 315

Novak, B. and Mitchison, J. M.
Periodic cell cycle changes in the rate of CO_2 production in the fission yeast *Schizosaccharomyces pombe* persist after a block to protein synthesis 323

Nielsen, T. B., Field, J. B. and Dedman, J. R.
Association of calmodulin with lysosomes 327

Cotton, G. and Vanden Driessche, T.
Identification of calmodulin in *Acetabularia*: its distribution and physiological significance 337

Golinska, K.
Temperature-induced modifications in size and pattern of microtubular organelles in a ciliate, *Dileptus*. I. Supernumerary microtubules in axonemes of sensory cilia 349

Gavrilovic, J., Hembry, R. M., Reynolds, J. J. and Murphy, G.
Tissue inhibitor of metalloproteinases (TIMP) regulates extracellular type I collagen degradation by chondrocytes and endothelial cells 357

Tetley, L., Turner, C. M. R., Barry, J. D., Crowe, J. S. and Vickerman, K.
Onset of expression of the variant surface glycoproteins of *Trypanosoma brucei* in the tsetse fly studied using immunoelectron microscopy 363

Commentary
Haston, W. S. and Wilkinson, P. C.
Gradient perception by neutrophil leucocytes 373

Bader, S. A. and Harris, H.
Regulation of epitectin production in a malignant cell line 375

Harris, H. and Bramwell, M. E.
The suppression of malignancy by terminal differentiation: evidence from hybrids between tumour cells and keratinocytes 383

Sanders, E. J. and Chokka, P.
Monensin inhibits secretion of extracellular matrix and the spreading of mesoderm cells in the early chick embryo 389

Docherty, R. J., Forrester, J. V. and Lackie, J. M.
Type I collagen permits invasive behaviour by retinal pigmented epithelial cells *in vitro* 399

Skerrow, C. J., Hunter, I. and Skerrow, D.
Dissection of the bovine epidermal desmosome into cytoplasmic protein and membrane glycoprotein domains 411

Aerts, R. J., Durston, A. J. and Konijn, T. M.
Cytoplasmic pH at the onset of development in *Dictyostelium* 423

Bastmeyer, M. and Russell, D. G.
Characterization of *Pales* spermatocyte spindles, with reference to an MTOC-associated protein 431

Loidl, J.
Synaptonemal complex spreading in *Allium ursinum*: pericentric asynapsis and axial thickenings 439

McCurdy, D. W. and Williamson, R. E.
An actin-related protein inside pea chloroplasts 449

Williams, N. E., Honts, J. E. and Jaeckel-Williams, R. F.
Regional differentiation of the membrane skeleton in *Tetrahymena* 457

Behnke, O.
Surface membrane clearing of receptor–ligand complexes in human blood platelets 465

Bishop, C. J., Rzepczyk, C. M., Stenzel, D. and Anderson, K.
The role of reactive oxygen metabolites in lymphocyte-mediated cytolysis 473

Villar, M., Gaget, M., Said, C., Knox, R. B. and Dumas, C.
Incompatibility in *Populus*: Structural and cytochemical characteristics of the receptive stigmas of *Populus alba* and *P. nigra* 483

Announcements

Commentary
Koch, G. L. E.
Reticuloplasmins: a novel group of proteins in the endoplasmic reticulum 491

Book Reviews
Downes, C. S.
Order out of chaos 493

Beardmore, J., Howell, K. E., Miller, K. and Hopkins, C. R.
Isolation of an endocytic compartment from A431 cells using a density modification procedure employing a receptor-specific monoclonal antibody complexed with colloidal gold 495

Sato, C., Ito, S. and Takeuchi, T.
Enhancement of pheomelanogenesis by L-dopa in the mouse melanocyte cell line, TM10, *in vitro* 507

Europe-Finner, G. N. and Newell, P. C.
GTP analogues stimulate inositol trisphosphate formation transiently in *Dictyostelium* 513

Francis, G. W., Fisher, L. R., Gamble, R. A. and Gingell, D.
Direct measurement of cell detachment force on single cells using a new electromechanical method 519

Donaldson, D. J., Mahan, J. T. and Smith, G. N. Jr
Newt epidermal cell migration *in vitro* and *in vivo* appears to involve Arg-Gly-Asp-Ser receptors 525

Koch, G. L. E., Macer, D. R. J. and Smith, M. J.
Visualization of the intact endoplasmic reticulum by immunofluorescence with antibodies to the major ER glycoprotein, endoplasmin 535

Kühn, S., Vorgias, C. E. and Traub, P.
Interaction *in vitro* of non-epithelial intermediate filament proteins with supercoiled plasmid DNA 543

Jerka-Dziadosz, M., Dosche, C., Kuhlmann, H.-W. and Heckmann, K.
Signal-induced reorganization of the microtubular cytoskeleton in the ciliated protozoon *Euplotes octocarinatus* 555

Stearns, M. E. and Wang, M.
Polarized pigment granule transport occurs in the absence of microtubules in squirrelfish erythrophores: studies of the effects of estramustine 565

Duncan, C. J.
Role of calcium in triggering rapid ultrastructural damage in muscle: a study with chemically skinned fibres 581

Eleftheriou, E. P.
Microtubules and cell wall development in differentiating protophloem sieve elements of *Triticum aestivum* L. 595

Announcements

Commentary
Curtis, A.
Cell activation and adhesion 609

Book Reviews 613

Fukamachi, H., Mizuno, T. and Kim, Y. S.
Gland formation of human colon cancer cells combined with foetal rat mesenchyme in organ culture: an ultrastructural study 615

Catt, J. W., Harrison, F. L. and Carleton, J. S.
Distribution of an endogenous β-galactoside-specific lectin during foetal and neonatal rabbit development 623

Navarrete, M. H., Cuadrado, A., Escalera, M. and Cánovas, J. L.
Regulation of G_2 by cell size contributes to maintaining cell size variability within certain limits in higher plants 635

Brady, R. C., Schibler, M. J., Dedman, J. R. and Cabral, F.
Biochemical characterization of isolated CHO cell mitotic spindles: identification of calmodulin-binding proteins 643

Nagy, A. and Baker, R. F.
Quiescence and increased adhesion after mammalian DNA transfection of human fibrosarcoma cells 651

Edwards, J. G., Robson, R. T. and Campbell, G.
A major difference between serum and fibronectin in the divalent cation requirement for adhesion and spreading of BHK21 cells 657

Owens, N. F., Gingell, D. and Rutter, P. R.
Inhibition of cell adhesion by a synthetic polymer adsorbed to glass shown under defined hydrodynamic stress 667

Gingell, D., Heavens, O. S. and Mellor, J. S.
General electromagnetic theory of total internal reflection fluorescence: the quantitative basis for mapping cell–substratum topography 677

Harris, A. and Coleman, L.
Establishment of a tissue culture system for epithelial cells derived from human pancreas: a model for the study of cystic fibrosis 695

Jessus, C., Thibier, C. and Ozon, R.
Levels of microtubules during the meiotic maturation of the *Xenopus* oocyte 705

Lord, J., Brown, G., Bunce, C. and Nathan, P.
A monoclonal antibody recognizes a human nuclear protein resembling *Xenopus* oocyte nucleoplasmin 713

Wurster, B. and Mohn, R.
Spike-shaped oscillations in the absence of measurable changes in cyclic AMP concentration in a mutant of *Dictyostelium discoideum* 723

Owen, M. E., Cavé, J. and Joyner, C. J.
Clonal analysis *in vitro* of osteogenic differentiation of marrow CFU-F 731

Walker, C., Mates, G., Pumford, D. and Daniel, M.
An endothelial cell growth factor derived from human lung carcinoma cells grown in serum-free medium 739

Index of Authors 749

Index of Subjects 753